High & Low Pressure Switches

6 to 2,000 psi; Brass, 316L SS & 2205 Duplex



Pure Aqua's pressure switches are constructed of high quality brass or 316L stainless steel or duplex 2205 to insure a lifetime of use under even the most demanding conditions. Corrosion resistant, high and low pressure switches ratings, easy installation, adjustable and reliable, making Pure Aqua's high and low pressure switches a must have for your water treament applications. Pure Aqua's high and low pressure switches range in pressure rating from 6 - 2,000 psi (0.5 - 138 bar)











Standard Features

- Compact design
- Brass, 316L stainless steel or 2205 duplex construction available
- Piston design
- Corrosion resistant
- Environmentally sealed

Applications

- Reverse osmosis
- Nanofiltration
- Ultrafiltration
- Electrodeionization
- Water filtration
- Commercial & industrial
- Pumping stations

Part #	Connection	Material	Pressure Rating	Preset
CJ-1C2-15G/HM225	1/4" MNPT	Brass	6 - 30 psi (0.5 - 2 bar)	15 psi (1 bar)
CJ-U1C2-15G/HM224	1/4" MNPT	2205 Duplex	6 - 30 psi (0.5 - 2 bar)	15 psi (1 bar)
CD-U1C5-300J/HR	1/4" MNPT	316L SS	250 - 1,000 psi (17 - 69 bar)	300 psi (21 bar)
CD-U1C6-1000J/HR	1/4" MNPT	316L SS	500 - 2,000 psi (34 - 138 bar)	1,000 psi (69 bar)
CD-U1C6-1000J/HH416	1/4" MNPT	2205 Duplex	500 - 2,000 psi (34 - 138 bar)	1,000 psi (69 bar)

^{*}Pure Aqua's pressure switches are 100% tested, individually packaged and in stock ready for shipment.